

# Rocky Linux 8 – SFTP Server

|             |          |
|-------------|----------|
| Version:    | 1.0.0    |
| Created by: | cloudimg |

## Table of Contents

|                                     |   |
|-------------------------------------|---|
| 1.) Overview.....                   | 1 |
| 2.) Access & Security.....          | 1 |
| 3.) System Requirements.....        | 2 |
| 4.) Connecting to the Instance..... | 2 |
| 5.) On Startup.....                 | 2 |
| 6.) Filesystem Configuration.....   | 3 |
| 7.) Server Components.....          | 3 |
| 8.) Scripts and Log Files.....      | 3 |
| 9.) Using System Components.....    | 4 |

## 1.) Overview

This document is provided as a user guide for the Rocky Linux 8 – SFTP Server product offering on the Azure Marketplace. Please reach out to [support@cloudimg.co.uk](mailto:support@cloudimg.co.uk) if any issues are encountered following this user guide for the chosen product offering.

## 2.) Access & Security

Please update the security group of the target instance to allow the below ports and protocols for access and connectivity.



Registered  
Technology  
Partner

cloudimg  
(+44) 02045382725  
3rd Floor 86-90 Paul Street London EC2A 4NE  
[support@cloudimg.co.uk](mailto:support@cloudimg.co.uk)  
<https://cloudimg.co.uk>

| Protocol | Type | Port | Description      |
|----------|------|------|------------------|
| SSH      | TCP  | 22   | SSH connectivity |

### 3.) System Requirements

The minimum system requirements for the chosen product offering can be found below

| Minimum CPU | Minimum RAM | Required Disk Space |
|-------------|-------------|---------------------|
| 1           | 1 GB        | 20 GB               |

### 4.) Connecting to the Instance

Once launched in the Azure Virtual Machines Service, please connect to the instance via an SSH client using the **azureuser** with the key pair associated at launch. Once connected as the **azureuser**, you will be able to **sudo** to the **root** user by issuing the below command.

Switch to the root user

```
sudo su -
```

### 5.) On Startup

An OS package update script has been configured to run on boot to ensure the image is fully up to date at first use. You can disable this feature by removing the script from `/stage/scripts/` and deleting the entry in crontab for the root user.

Disable the OS update script from running on reboot

```
rm -f /stage/scripts/initial_boot_update.sh

crontab -e

#DELETE THE BELOW LINE. SAVE AND EXIT THE FILE.
@reboot /stage/scripts/initial_boot_update.sh
```



Registered  
Technology  
Partner

cloudimg  
(+44) 02045382725  
3rd Floor 86-90 Paul Street London EC2A 4NE  
support@cloudimg.co.uk  
<https://cloudimg.co.uk>

## 6.) Filesystem Configuration

Please see below for a screenshot of the server disk configuration and specific mount point mappings for software locations.

| Filesystem     | Size | Used | Avail | Use% | Mounted on     |
|----------------|------|------|-------|------|----------------|
| devtmpfs       | 451M | 0    | 451M  | 0%   | /dev           |
| tmpfs          | 469M | 0    | 469M  | 0%   | /dev/shm       |
| tmpfs          | 469M | 6.3M | 463M  | 2%   | /run           |
| tmpfs          | 469M | 0    | 469M  | 0%   | /sys/fs/cgroup |
| /dev/nvme0n1p2 | 38G  | 2.6G | 33G   | 8%   | /              |
| /dev/nvme1n1   | 9.8G | 24K  | 9.3G  | 1%   | /sftp          |
| /dev/nvme0n1p1 | 2.0G | 143M | 1.7G  | 8%   | /boot          |
| tmpfs          | 94M  | 0    | 94M   | 0%   | /run/user/1002 |

| Mount Point | Description                   |
|-------------|-------------------------------|
| /boot       | Operating System Kernel files |
| /sftp       | SFTP Root                     |

## 7.) Server Components

Please see below for a list of installed server components and their respective installation paths. The below versions are subject to change on initial boot based on the initial\_boot\_update.sh script finding new versions of the software in the systems package repositories.

| Component  | Version | Software Home |
|------------|---------|---------------|
| Cloud-Init | 22.1-1  | /etc/cloud    |
| Azure CLI  | 2.53.1  | /lib64/az     |

## 8.) Scripts and Log Files

The below table provides a breakdown of any scripts & log files created to enhance the useability of the chosen offering.

| Script/Log | Path | Description |
|------------|------|-------------|
|------------|------|-------------|



Registered  
Technology  
Partner

cloudimg  
(+44) 02045382725  
3rd Floor 86-90 Paul Street London EC2A 4NE  
support@cloudimg.co.uk  
<https://cloudimg.co.uk>

|                         |                |  |
|-------------------------|----------------|--|
| Initial_boot_update.sh  | /stage/scripts | Update the Operating System with the latest updates available. |
| Initial_boot_update.log | /stage/scripts | Provides output for initial_boot_update.sh                     |
| sftp-admin-menu.sh      | /stage/scripts | SFTP User Management Script (create / purge)                   |

## 9.) Using System Components

Instructions can be found below for using each component of the server build mentioned in section 7 of this user guide document.

### Azure CLI

Using Azure CLI – as any OS user.

```
az
```

### Cloud-Init

Edit the /etc/cloud/cloud.cfg file to reflect your desired configuration. A link to the cloud-init official documentation can be found below for referencing best practise for your use case.

<https://cloudinit.readthedocs.io/en/latest/>

```
vi /etc/cloud/cloud.cfg
```

### SFTP Server

The server has been preconfigured as an SFTP Server. A script to create and or delete SFTP users can be found in the /stage/scripts directory under the name: sftp-admin-menu.sh

Once the instance has successfully launched, and a successful connection via SSH or Systems Manager has taken place, please switch to the **root** user to run the below command to launch the management script.



Registered  
Technology  
Partner

cloudimg  
(+44) 02045382725  
3rd Floor 86-90 Paul Street London EC2A 4NE  
support@cloudimg.co.uk  
<https://cloudimg.co.uk>

```
./stage/scripts/sftp-admin-menu.sh
```

Please follow the menus available in the management script to create new users or purge old users where necessary.

All users when created can be found under the /sftp directory. This directory has been mounted as an additional EBS volume to allow for easy extension in the future. If you require the use of EFS in place of EBS storage, please reach out to [support@cloudimg.co.uk](mailto:support@cloudimg.co.uk) and a best practise CloudFormation template can be provided to allow for the use of EFS.

cloudimg recommends the use of Filezilla as a client for connecting to the SFTP Server, you can download the client software for Windows, MacOS or Linux from the below URL.

<https://filezilla-project.org/download.php?type=client>



Registered  
Technology  
Partner

cloudimg  
(+44) 02045382725  
3rd Floor 86-90 Paul Street London EC2A 4NE  
[support@cloudimg.co.uk](mailto:support@cloudimg.co.uk)  
<https://cloudimg.co.uk>